



key

1 Which expression is equivalent to $(8w^2x^3y^2z^9)^{1/3}$?

- A $\frac{x^{10}z^6}{4w^{1/3}y^2}$
- B $\frac{4w^{1/3}y^2}{x^{10}z^6}$
- C $\frac{2w^{2/3}y^{2/3}}{x^{10}z^{11}}$
- D $\frac{x^{10}z^{11}}{2w^{2/3}y^{2/3}}$

Handwritten work for Question 1:

$$8^{2/3} w^{-14/3} x^{10/3} y^{-2} z^{18/3}$$

$$\frac{x^{10} z^6}{4 w^{4/3} y^2}$$

2 A marathon is roughly 26.2 miles long. Which equation could be used to determine the time, t , it takes to run a marathon as a function of the average speed, s , of the runner where t is in hours and s is in miles per hour?

- A $t = 26.2 - 26.2s$
- B $t = 26.2 - \frac{s}{26.2}$
- C $t = 26.2s$
- D $t = \frac{26.2}{s}$

Handwritten work for Question 2:

$$d = rt$$

$$t = \frac{d}{r}$$



3 The force, F , acting on a charged object varies inversely to the square of its distance, r , from another charged object. When the two objects are 0.64 meter apart, the force acting on them is 8.2 Newtons. **Approximately** how much force would the object feel if it is at a distance of 0.77 meter from the other object?

- A 1.7 Newtons
- B 5.7 Newtons
- C 11.9 Newtons
- D 12.9 Newtons

Handwritten work for Question 3:

$$F = \frac{k}{r^2}$$

$$8.2 = \frac{k}{(0.64)^2}$$

$$3.35872 = k$$

$$F = \frac{3.35872}{(0.77)^2}$$

4 A system of equations is shown below.

System of equations:

$$y = x^2 + 2x + 8$$

$$y = -4x$$

What is the smallest value of y in the solution set of the system?

- A -4
- B -2
- C 8
- D 16

Handwritten note:

★ calc and trace 5 intersect



- 5 The cost of a newspaper advertisement is a function of its size.
- A company wants its advertisement to have a height that is twice its width.
 - The newspaper charges a flat rate of \$50 plus an additional \$10 per square inch.
 - The company can spend no more than \$2,050 on the advertisement.

What is the maximum height of an advertisement that the company can afford?

- A 5 inches
- B 10 inches
- C 15 inches
- D 20 inches

RELEASED

$h = 2w$
 $2,050 \geq 50 + 10(hw)$
 $2,050 \geq 50 + 10(2w^2)$



- 6 Farmer Brown built a rectangular pen for his chickens using 12 meters of fence.
- He used part of one side of his barn as one length of the rectangular pen.
 - He maximized the area using the 12 meters of fence.


replaced 1 side

- Farmer Johnson built a rectangular pen for her chickens using 16 meters of fence.
- She used part of one side of her barn as one length of the rectangular pen.
 - The length of her pen was 2 meters more than the length of Farmer Brown's pen.
 - The width of her pen was 1 meter more than the width of Farmer Brown's pen.

How much larger is Farmer Johnson's rectangular pen than Farmer Brown's?

- A 24 square meters
- B 18 square meters
- C 16 square meters
- D 14 square meters

RELEASED






- 7 Suppose that Jamal can choose to get home from work by taxi or bus.
- When he chooses to get home by taxi, he arrives home after 7 p.m. 8 percent of the time.
 - When he chooses to get home by bus, he arrives home after 7 p.m. 15 percent of the time.
 - Because the bus is cheaper, he uses the bus 60 percent of the time.

What is the **approximate** probability that Jamal chose to get home from work by bus, given that he arrived home after 7 p.m.?

- A 0.09
- B 0.14
- C 0.60
- D 0.74

$P(B|A) = \frac{9}{12} = 0.75$



- 8 The graph of $f(x) = 2x^2 - 3x + 5$ will be translated 8 units down, producing the graph of $q(x)$. Which equation represents the new function, $q(x)$?

- A $q(x) = 2x^2 - 3x - 3$
- B $q(x) = 2x^2 - 11x + 5$
- C $q(x) = 2x^2 - 3x + 13$
- D $q(x) = 2x^2 + 5x + 5$

same y-intercept...
8 units UP



- 9 The equation $2x^2 - 5x = -12$ is rewritten in the form of $2(x - p)^2 + q = 0$. What is the value of q ?

- A $\frac{167}{16}$
- B $\frac{71}{8}$
- C $\frac{25}{8}$
- D $\frac{25}{16}$


Handwritten work for Question 9:

$$2x^2 - 5x = -12$$

$$2(x^2 - \frac{5}{2}x + \frac{25}{16}) = -12 + \frac{25}{8}$$

$$2(x - \frac{5}{4})^2 = -\frac{71}{8}$$

- 10 What is the value of x in the triangle below?



- A $\frac{5\sqrt{3}}{2}$ cm
- B $5\sqrt{3}$ cm
- C 10 cm
- D 15 cm

Handwritten work for Question 10:

$$5\sqrt{3}$$

$$5\sqrt{3}\sqrt{3}$$

$$5\sqrt{9}$$

$$5(3)$$

$$15$$



11 The length of a rectangular prism is $4\sqrt{3}$ units. The height is $3\sqrt{6}$ units. If the volume is irrational, which could be the measure of the width of the rectangular prism?

- A $2\sqrt{50}$
- B $4\sqrt{12}$
- C $5\sqrt{8}$
- D $7\sqrt{18}$

$$V = (lwh)$$

$$V = (4\sqrt{3})(w)(3\sqrt{6})$$

$$V = (12\sqrt{18})w$$

$$(36\sqrt{2})w$$

12 Which function is equivalent to $y = x^2 - 6x + 10$?

- A $y = (x + 3)^2 - 1$
- B $y = (x - 3)^2 + 1$
- C $y = (x + 6)^2 - 10$
- D $y = (x - 6)^2 + 10$

$$x^2 - 6x + 9 = y - 10 + 9$$


$$(x - 3)^2 = y - 1$$

$$(x - 3)^2 + 1 = y$$

RELEASED



13 Triangle EGF is graphed below.



$$(x, y) \rightarrow (-y, x)$$

Triangle EGF will be rotated 90° counterclockwise around the origin and will then be reflected across the y -axis, producing an image triangle. Which additional transformation will map the image triangle back onto the original triangle?

- A rotation 270° counterclockwise around the origin
- B rotation 180° counterclockwise around the origin
- C reflection across the line $y = -x$
- D reflection across the line $y = x$